


Note: Your TA probably will not cover all the problems. This is totally fine. The discussion worksheets are deliberately made long so they can serve as a resource you can use to practice, reinforce, and build upon concepts discussed in lecture, readings, and the homework.

1 Graph Traversal



- (a) Recall that given a DFS tree, we can classify edges into one of four types:
- Tree edges are edges in the DFS tree,
 - Back edges are edges (u, v) not in the DFS tree where v is the ancestor of u in the DFS tree
 - Forward edges are edges (u, v) not in the DFS tree where u is the ancestor of v in the DFS tree
 - Cross edges are edges (u, v) not in the DFS tree where u is not the ancestor of v , nor is v the ancestor of u .

For the directed graph above, perform DFS starting from vertex A, breaking ties alphabetically. As you go, label each node with its pre- and post-number, and mark each edge as **Tree**, **Back**, **Forward** or **Cross**.

- (b) A strongly connected component (SCC) is defined as a subset of vertices in which there exists a path from each vertex to each other vertex. What are the SCCs of the above graph?
- (c) Collapse each SCC you found in part (b) into a meta-node, so that you end up with a graph of the SCC meta-nodes. Draw this graph below, and describe its structure.

2 Graph Short Answer

For each of the following, either prove the statement is true or give a counterexample to show it is false. Note that $\text{pre}(v)$ and $\text{post}(v)$ denote that pre-order and post-order values of v .

- (a) If (u, v) is an edge in an undirected graph and during DFS, $\text{post}(v) < \text{post}(u)$, then u is an ancestor of v in the DFS tree.

- (b) In a directed graph, if there is a path from u to v and $\text{pre}(u) < \text{pre}(v)$ then u is an ancestor of v in the DFS tree.

- (c) We can modify the SCC algorithm from lecture, so that, the DFS on G is done in decreasing pre-order of G instead of decreasing post-order of G^R . This modified algorithm is also correct.

- (d) We can modify the SCC algorithm from lecture so that the first DFS is run on G and the second DFS is run on G^R . This modified algorithm is also correct.

3 Finding Clusters

We are given a directed graph $G = (V, E)$, where $V = \{1, \dots, n\}$, i.e. the vertices are integers in the range 1 to n . For every vertex i we would like to compute the value $m(i)$ defined as follows: $m(i)$ is the smallest j such from which you can reach vertex i . (As a convention, we assume that i is reachable from i .)

- (a) Show that the values $m(1), \dots, m(n)$ can be computed in $O(|V| + |E|)$ time. **Please provide an algorithm description and runtime analysis; proof of correctness is not required.**

- (b) Suppose we instead define $m(i)$ to be the smallest j that can be reached from i , instead of the smallest j from which you can reach i . How should you modify your answer to part (a) to work in this case?